
Customizable 12V Lithium 100Ah 200Ah Lifepo4 Battery Pack 24V Lithium Ion Electric Bike Battery Pack for OEM/ODM Market



Enook

Enook Battery Pack

TT PAYPAL

- Place of Origin.
- Brand Name:
- Model Number:
- Payment Terms:



Product Specification

Capacity:	Customized
Cycle Life:	3000~6000Times
• OEM/ODM:	Accepatable
Product Name:	Enook Battery Pack
 Voltage/Capacity: 	Customized
Application:	Electric Bicycles/Scooters
Safety Protection:	Overcharge Protection, Over-discharge Protection, Short Circuit Protection, Over- current Protection
Battery Type:	Lifepo4 Lithium Battery Packs
Highlight:	200Ah Battery Pack, OEM Battery Pack,

Electric Bike Battery Pack



More Images









Technical Parameters:

Product Name	Enook Battery Pack				
OEM/ODM	Acceptable				
Voltage/Capacity	Customized				
Cycle Life	3000~6000 Times				
Application	Electric Bicycles/Scooters				
Capacity	Customized				
Battery Type	Lifepo4 Lithium Battery Packs				
Safety Protection	Overcharge Protection, Over-discharge Protection, Short Circuit Protection, Over-current Protection				
Lithium Ion Electric Bike Battery Pack		48V 60V 72V 40Ah Battery Pack			
Product Name		Enook Battery Pack			
OEM/ODM		Acceptable			
Voltage/Capacity		Customized			
Cycle Life		3000~6000 Times			
Application		Electric Bicycles/Scooters			
Capacity		Customized			
Battery Type		Lifepo4 Lithium Battery Packs			
Safety Protection		Overcharge Protection, Over-discharge Protection, Short Circuit Protection, Over- current Protection			

PRODUCT SPECIFICATION






Applications:

Enook Battery Pack: The Ultimate Power Solution for Your Electric Vehicles
Brand Name: Enook
Model Number: Enook Battery Pack
Place of Origin: China
Payment Terms: TT PAYPAL
Safety Protection: Overcharge Protection, Over-discharge Protection, Short Circuit Protection, Over-current Protection
OEM/ODM: Acceptable
Voltage/Capacity: Customized
Capacity: Customized
Cycle Life: 3000~6000 Times



APPLICATION SCENARIO



Customization:

Customized Service for Enook Battery Pack

Product Name: Enook Battery Pack

Brand Name: Enook

Model Number: Enook Battery Pack

Place of Origin: China

Payment Terms: TT PAYPAL Voltage/Capacity: Customized

Application: Electric Bicycles/Scooters

Capacity: Customized

Battery Type: Lifepo4 Lithium Battery Packs

Looking for a reliable and high-performance lithium ion electric bike battery pack? Look no further than Enook Battery Pack. Our battery pack is specifically designed for electric bicycles and scooters, providing long-lasting and efficient power.

With Enook Battery Pack, you have the option to customize the voltage and capacity according to your specific needs. Whether you need a 48v, 60v, or 72v battery pack, we have you covered. Our battery packs also come in various capacities to suit your usage requirements. Our battery pack is made with high-quality Lifepo4 lithium batteries, known for their safety and reliability. With our customized electric bike battery, you can be sure of a smooth and powerful ride every time.

Choose Enook Battery Pack for your electric bike or scooter and experience the difference in performance. Contact us now to learn more about our customized service for Enook Battery Pack.

Specification	12V5AH	12V8AH	12V10AH	12V20AH	12V30AH	12V50AH	
Capacity	75Wh	102Wh	128Wh	256Wh	384Wh	640Wh	
Standard discharge current	2. 5A	4A	5A	10A	15A	25A	
Max. discharge current	5A	8A	10A	20A	30A	50A	
Working voltage range	10- 14. 6V	10- 14. 6V	10- 14. 6V	10- 14. 6V	10- 14. 6V	10- 14. 6V	
Standard Voltage	12.8V	12.8V	12.8V	12.8V	12.8V	12.8V	
Max. charging voltage	14. 6V	14. 6V	14. 6V	14. 6V	14. 6V	14. 6V	
Cycle	3000~ 6000 cycles@DOD 80%/25°C/0 . 5C						
Working humidity	65±20%RH						
Operating temperature	- 10 ~+50°C						
Working altitude	≤2500m						
Cooling method	Natural cooling						
Installation	IP65						
Product Size(mm)	152*65*	152*65*	152*65*	265*70 [°]	265*70*	255*165	
Net weight	0.9Kg	1.2Kg	1. 5Kg	3.2Kg	4. 5Kg	9Kg	

Packing and Shipping:

PACKAGING



allh.



PACKAGING







Shipping by



Professional suggestion to choose the best shipping delivery (Such as EMS DHL TNT UPS and FEDEX) for your commodities according to your demand.



Company Introduction

ChangSha Enook Technology Co., Ltd located is an outstanding solution service provider in Lithium Battery Management System(BMS) industry, focusing on the R&D, design, production and sales of Apexium DIY kits, BMS and battereis for more than 15 years. With its strength, it can provide customers with first-class software and hardware devel- opment and after-sales services.

Quality first is our principle, Satisfying all our customers is ourtenet, win-win business is our aim. Dedicated to strict quality control and thoughtful customer service, our experiencedstaff members are always available to discuss each detailed requirements from customer and ensure full customer satisfaction.

In addition, we have obtained certificates. MSDS UN38.3 MSDS, ROHS. UL. ect. All our products keep selling wellnot onlyground





Q1:When are you available?

A1: 24 hours online every day, messages will be replied once received.

Q2:What's your main products?

A2:Lithium battery,Lipo battery,LiFePO4 battery, battery packs,etc.For cylinder battery.



Q3:How is the quality of the products?

A3: 1.Always provide the premium authentic products, never fake. 2.Only provide A Grade cells



Q4: Do you provide the OEM&ODM service?

A4: Yes, we are experienced factory can provide OEM & ODM services.



A5: Step1. Contact us Step2. Confirm products you need, the price and other details Step3: We make PI(Proforma Invoice) for you to make payment Step4: Payment finished Step5: Payment checking by our accountant Step5: Products packed and shipped (tracking number will be provided once shipped out) Step6: Customer get the products and feedback

Q6: What's the lead time?

A6: 1. Sample orders: 1-3 working days
2. Bulk orders: 3-7 working days according to different quantities
3. OEM: 7-12 working days on receipt of sample confirmation

Changsha Enook Technology Co., Ltd
+8617752866093 S wendy@enooktech.com